

- Recombinant Human Epidermal Growth Factor (Regen-DTm150) in Healing Diabetic Foot Ulcers. Wounds Compendium. Clin Res Practice 2006; 18:186-196.
15. Singla S, Singla M, Kumar A, et al. Role of epidermal growth factor in healing of diabetic foot ulcers. Indian J Surg 2012; 74:451-455.
 16. Afshari M, Larijani B, Fadayee M, et al. Efficacy of Topical Epidermal Growth Factor in Healing Diabetic Foot Ulcers. Therapy 2005; 2:759-765.
 17. Villa RG, Rebolledo FA, Platonoff AL, et al. Efficacy of Intralesional Recombinant Human Epidermal Growth Factor in Diabetic Foot Ulcers in Mexican Patients: A Randomized Double Blinded Controlled Trial. Wound Repair Regen 2014; 22:497-503.
 18. Tsang MW, Wong WK, Hung CS, et al. Human Epidermal Growth Factor Enhances Healing of Diabetic Foot Ulcers. Diabetes Care 2003; 26:1856-1861.
 19. Silva CMV, Iglesias ADT, Iglesias EG, et al. Granulation Response and Partial Wound Closure Predict Healing In Clinical Trials on Advanced Diabetes Foot Ulcers Treated With Recombinant Human Epidermal Growth Factor. Diabetes Care 2013; 36:210-215.
 20. Falanga V, Eaglstein WH, Bucalo BB, et al. Topical Use of Human Recombinant Epidermal Growth Factor (h-EGF) in Venous Ulcers. J Dermatol Surg Oncol 1992; 18:604-606.
 21. Hong JP, Kim YW, Jung HD, et al. The effect of Various Concentrations of Human Recombinant Epidermal Growth Factor on Split Thickness Skin Wounds. Int Wound J 2006; 3:123-130.