

- infected pneumonia. *N Engl J Med* 2020; 382:1199–1207.
5. Wu J, Liu J, Li S, et al. Detection and analysis of nucleic acid in various biological samples of COVID-19 patients. *Travel Med Infect Dis* 2020; 37:101673.
 6. Yan J, Guo J, Fan C, et al. Coronavirus disease 2019 (COVID-19) in pregnant women: A report based on 116 cases. *Am J Obstet Gynecol* 2020; 23:111.
 7. Di Mascio D, Khalil A, Saccone G, et al. Outcome of Coronavirus spectrum infections (SARS, MERS, COVID-19) during pregnancy: A systematic review and meta-analysis. *Am J Obstet Gynecol MFM* 2020; 2:100107.
 8. Lamouroux A, Attie Bitach T, Martinovic J, et al. Evidence for and against vertical transmission for SARS-CoV-2 (COVID-19). *Am J Obstet Gynecol* 2020; 10.
 9. Chen H, Guo J, Wang C, et al. Clinical characteristics and intra uterine vertical transmission potential of COVID-19 infection in nine pregnant women: A retrospective review of medical records. *Lancet* 2020; 395:809–815.
 10. Wang W, Xu Y, Gao R, et al. Detection of SARS-CoV-2 in different types of clinical specimens. *JAMA* 2020; 323:1843-1844.
 11. Lauer SA, Grantz KH, Bi Q, et al. The incubation period of Coronavirus disease 2019 (COVID-19) from publicly reported confirmed cases: Estimation and application. *Ann Intern Med* 2020; 172:577-582.
 12. Zhou F, Yu T, Du R, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: A retrospective cohort study. *Lancet* 2020; 395:1054–1062.
 13. Lai CC, Liu YH, Wang CY, et al. Asymptomatic carrier state, acute respiratory disease and pneumonia due to Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2): Facts and myths. *J Microbiol Immunol Infect* 2020; 53:404-412.
 14. Guan WJ, Ni ZY, Hu Y, et al. China medical treatment expert group for COVID-19. Clinical characteristics of Coronavirus disease 2019 in China. *N Engl J Med* 2020; 382:1708–1720.
 15. Wong HY, Lam HY, Fong AH, et al. Frequency and distribution of chest radiographic findings in positive patients COVID-19. *Radiol* 2020; 296:E72-E78.
 16. ISCIII. Situation of COVID-19 in Spain on April 13, 2020. Report no 22, Spain, 2020.
 17. Ferrazzi EM, Frigerio L, Cetin I, et al. COVID-19 obstetrics task force, Lombardy, Italy: Executive management summary and short report of outcome. *Int J Gynaecol Obstet* 2020; 149:377-378.
 18. Breslin N, Baptiste C, Gyamfi Bannerman C, et al. COVID-19 infection among asymptomatic and symptomatic pregnant women: Two weeks of confirmed presentations to an affiliated pair of New York city hospitals. *Am J Obstet Gynecol MFM* 2020; 2:100118.
 19. Zeng L, Xia S, Yuan W, et al. Neonatal early onset infection with SARS-CoV-2 in 33 neonates born to mothers with COVID-19 in Wuhan, China. *JAMA Pediatr* 2020; 174:722-725.
 20. Centers for Disease Control and Prevention (CDC). People who are at higher risk for severe illness. 2020.
 21. Kerr SM, Parker SE, Mitchell AA, et al. Periconceptional maternal fever, folic acid intake and the risk for neural tube defects. *Ann Epidemiol* 2017; 27:777–782.
 22. Rasmussen SA, Smulian JC, Lednicky JA, et al. Coronavirus disease 2019 (COVID-19) and pregnancy: What obstetricians need to know. *Am J Obstet Gynecol* 2020; 222:415–426.
 23. Tang P, Wang J, Song Y. Characteristics and pregnancy outcomes of patients with severe pneumonia complicating pregnancy: A retrospective study of 12 cases and a literature review. *BMC Pregnancy Childbirth* 2018; 18:434.
 24. Tomlinson S, Behrmann S, Cranford J, et al. Accuracy of smartphone based pulse oximetry compared with hospital grade pulse oximetry in healthy children. *Telemed J E Health* 2018; 24:527–523.
 25. Sanders JM, Monogue ML, Jodlowski TZ, et al. Pharmacologic treatments for Coronavirus disease 2019 (COVID-19): A review. *JAMA* 2020; 323:1824-1836.
 26. Zeisler H, Llorba E, Chantraine F, et al. Predictive value of the sFlt-1: PlGF ratio in women with suspected preeclampsia. *N Engl J Med* 2016; 374:13–22.
 27. Schwartz DA. An analysis of 38 pregnant women with COVID-19, their newborn infants, and maternal fetal transmission of SARS-CoV-2: Maternal Coronavirus infections and pregnancy outcomes. *Arch Pathol Lab Med* 2020; 144:799-805.
 28. Podovei M, Bernstein K, George R, et al. Interim considerations for obstetric anesthesia care related to COVID-19. *Soc Obstetr Anesth Perinatol* 2020.
 29. Poon LC, Yang H, Lee JCS, et al. ISUOG Interim Guidance on 2019 novel Coronavirus infection during pregnancy and puerperium: Information for healthcare professionals. *Ultrasound Obstet Gynecol* 2020; 55:700–708.
 30. World Health Organization (WHO). Clinical management of Severe Acute Respiratory Infection (SARI) when COVID-19 disease is suspected. 2020.
 31. Scholten EL, Beitler JR, Prisk GK, et al. Treatment of ARDS with prone positioning. *Chest* 2017; 151:215–224.
 32. Centers for Disease Control and Prevention (CDC). Considerations for inpatient obstetric healthcare settings. 2020.

33. Day M. COVID-19: Ibuprofen should not be used for managing symptoms, say doctors and scientists. *BMJ* 2020; 368:m1086.
34. Tang N, Bai H, Chen X, et al. Anti-coagulant treatment is associated with decreased mortality in severe Coronavirus disease 2019 patients with coagulopathy. *J Thromb Haemost* 2020; 18:1094–1099.
35. Centers for Disease Control and Prevention (CDCP). Coronavirus disease (COVID-19) and breast feeding. 2021.
36. World Health Organization (WHO). Rational use of personal protective equipment for Coronavirus disease (COVID-19) and considerations during severe shortages. 2020.