









7. Park HS, Lee SK, Kwon OW. Group distal movement of teeth using microscrew implant anchorage. *Angle Orthod* 2005; 75:602-609.
8. Papadopoulos MA, Tarawneh F. The use of miniscrew implants for temporary skeletal anchorage in orthodontics: a comprehensive review. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007; 103:e6-e15.
9. Nucera R, Lo Giudice A, Bellocchio AM, et al. Bone and cortical bone thickness of mandibular buccal shelf for mini screw insertion in adults. *Angle Orthod* 2017; 87:745-751.
10. Chen YJ, Chang HH, Lin HY, et al. Stability of mini plates and mini screws used for orthodontic anchorage: experience with 492 temporary anchorage devices. *Clin Oral Implants Res* 2008; 19:1188-1196.
11. Ghavat C, Bholra N, Agarwal A, et al. Reconstruction of mandibular defect using patient specific peek implant an approach to aesthetic reconstruction. *Med Sci* 2020; 24:1261-1266.
12. Park YC, Lee SY, Kim DH, et al. Intrusion of posterior teeth using mini screw implants. *Am J Orthod Dentofacial Orthop* 2003; 123:690-694.
13. Creekmore TD. The possibility of skeletal anchorage. *J Clin Orthod* 1983; 17:266-269.
14. Ottofy L. Standard dental dictionary. Laird and Lee, Chicago, 1923.
15. Daskalogiannakis J, Miethke RR, McNamara JA. Glossary of orthodontic terms. Chicago, London, 2000; 1.
16. Ismail SF, Johal AS. The role of implants in orthodontics. *J Orthod* 2002; 29:239-245.
17. Singh A, Sheokand V, Bhardwaj A, et al. Dental implant design an insight overview. *J Med Pharm Allied Sci* 10:3101-3105.
18. Ghoshal PK, Kamble RH, Shrivastav SS, et al. Radiographic evaluation of alveolar bone dimensions in the inter radicular area between maxillary central incisors as "safe zone" for the placement of mini screw implants in different growth patterns a digital volume tomographical study. *J Evol Med Dent Sci* 2019; 8:3836-3840.
19. Mangal K, Dhamande MM, Sathe S, et al. An overview of the implant therapy: The esthetic approach. *Int J Curr Res* 2021; 13:106-112.
20. Poggio PM, Incorvati C, Velo S, et al. "Safe zones": a guide for mini screw positioning in the maxillary and mandibular arch. *Angle Orthod* 2006; 76:191-197.
21. Mallick R, Pisulkar SK, Reddy SG. Assessment of outcomes of immediately loaded dental implants in orofacial cleft patients: Protocol for a single arm clinical trial. *JMIR Res Protoc* 2021; 10:e25244.
22. Migliorati M, Benedicenti S, Signori A, et al. Mini screw design and bone characteristics: An experimental study of primary stability. *Am J Orthod Dentfac Orthop* 2012; 142:228-234.